



THE UNITED KINGDOM VEHICLE APPROVAL AUTHORITY

COMMUNICATION CONCERNING APPROVAL GRANTED OF A TYPE OF ELECTRICAL SUB-  
ASSEMBLY WITH REGARD TO REGULATION NO. 10.06



Approval No: E11\*10R06/01\*11509\*00

1. Make (trade name of manufacturer): aptpod, Inc.
2. Type and general commercial description(s): ET1-128NJA, Edge Computing Device
3. Means of identification of type, if marked on the component: Not applicable
  - 3.1. Location of that marking: Bottom side of device
4. Category of vehicle: Not applicable
5. Name and address of manufacturer:  
  
Manufacture: aptpod, Inc.  
Address: Yotsuya Tosei Building 3F, 4-3, Yotsuya, Shinjuku-ku, Tokyo, 160-0004, Japan
6. In the case of components and separate technical units, location and method of affixing of the approval mark:  
  
Location : Bottom side of device  
Method : Adhesive label

## 7. Address(es) of assembly plant(s):

Assembly plant: PULAX corporation

Address:

[Nissin Office] :

1-4-5, Nissincho, Fuchu-shi, Tokyo

[Nishihara Office] :

2-5-12, Nishiharacho, Fuchu-shi, Tokyo

## 8. Additional information (where applicable): See Appendix below

## 9. Technical Service responsible for carrying out the tests: Vehicle Certification Agency

## 10. Date of test report: 30 June 2021

## 11. No. of test report: JSW519520

## 12. Remarks (if any): See Appendix below

## 13. Place: BRISTOL

## 14. Date: 29 JULY 2021

## 15. Signature:



C McCABE

Chief Technical and Statutory Operations Officer

## 16. The index to the information package lodged with the Approval Authority, which may be obtained on request, is attached.

## 17. Reasons for extension:

Not applicable

**Appendix**

to type approval communication form No. E11\*10R06/01\*11509\*00  
concerning the type approval of an electrical/electronic sub-assembly under UN Regulation No. 10.06

1. Additional information:
  - 1.1. Electrical system rated voltage: 24 V. neg ground
  - 1.2. This ESA can be used on any vehicle type with the following restrictions: Not applicable
    - 1.2.1. Installation conditions, if any:  
  
Restrictions of use: Motor vehicle  
Condition for fitting: Table-top inside the automobile
  - 1.3. This ESA can be used only on the following vehicle types: Not applicable
    - 1.3.1. Installation conditions, if any:  
  
Not applicable
  - 1.4. The specific test method(s) used and the frequency ranges covered to determine immunity were: (Please specify precise method used from Annex 9):  
  
Not applicable
  - 1.5. Laboratory accredited to ISO 17025 and recognized by the Approval Authority responsible for carrying out the tests:  
  
e-Ohtama, Ltd.  
Kawasaki-shi, Kanagawa, Japan
2. Remarks: None